

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® White Gesso      ITEM# 750006250  
Bob Ross® Gray Gesso      ITEM# 750006257  
Bob Ross® Black Gesso <sup>1</sup>      ITEM# 750006262

<sup>1</sup> Contains Carbon Black

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

There are no GHS ratings that apply to this product at this time

### GHS Hazards

There are no GHS hazards that apply to this product at this time

### GHS Precautions

There are no GHS precautions that apply to this product at this time

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Carbon Black <sup>1</sup>	1333-86-4	1.00% - 5.00%
Ammonium Hydroxide (28%)	1336-21-6	0.10% - < 1.00%

**(1) Carbon Black - WARNING: This product contains a chemical known to the State of California to cause cancer.**

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## Section 5 - Fire Fighting

Flash Point: 100 C (212 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

<b>Chemical Name / CAS No.</b>	<b>OSHA Exposure Limits</b>	<b>ACGIH Exposure Limits</b>	<b>Other Exposure Limits</b>
Carbon Black <sup>1</sup> 1333-86-4	TWA 3.5 mg/m3	TWA 3.5 mg/m3	Not Established
Ammonium Hydroxide (28%) 1336-21-6	TWA 35 mg/m3 PEL, 50 ppm	TWA 18 mg/m3 TLV, 25ppm	Not Established

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when spraying.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid <b>Vapor Pressure:</b> Not available <b>Vapor Density:</b> Not available <b>Density:</b> 1.20 – 1.45 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> 4000 - 5000 cP	<b>Odor:</b> Slight Amine <b>Odor threshold:</b> Not available <b>pH:</b> 8.8 - 9.0 <b>Melting point:</b> Not applicable <b>Solubility:</b> Soluble <b>Flash point:</b> 100°C, 212°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	--

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Component Toxicity**

1333-86-4	Carbon Black <sup>1</sup> Oral LD50: 5,000 mg/kg (RAT)
1336-21-6	Ammonium Hydroxide (28%) Oral LD50: 350 mg/kg (RAT)

#### **Possible routes of entry or exposure:**

Inhalation      Eye Contact

#### **Possible target organs of exposure to this mixture:**

Eyes      Lungs

#### **Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

### Section 13 - Disposal

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, dispose of as latex paint.

### Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

### Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

1333-86-4      Carbon Black <sup>1</sup>      Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

### Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Reviewer Revision

Date Prepared: 9/21/2020

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® White Gesso      ITEM# 750006250  
Bob Ross® Gray Gesso      ITEM# 750006257  
Bob Ross® Black Gesso <sup>1</sup>      ITEM# 750006262

<sup>1</sup> Contains Carbon Black

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

There are no GHS ratings that apply to this product at this time

### GHS Hazards

There are no GHS hazards that apply to this product at this time

### GHS Precautions

There are no GHS precautions that apply to this product at this time

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Carbon Black <sup>1</sup>	1333-86-4	1.00% - 5.00%
Ammonium Hydroxide (28%)	1336-21-6	0.10% - < 1.00%

**(1) Carbon Black - WARNING: This product contains a chemical known to the State of California to cause cancer.**

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## Section 5 - Fire Fighting

Flash Point: 100 C (212 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Carbon Black <sup>1</sup> 1333-86-4	TWA 3.5 mg/m3	TWA 3.5 mg/m3	Not Established
Ammonium Hydroxide (28%) 1336-21-6	TWA 35 mg/m3 PEL, 50 ppm	TWA 18 mg/m3 TLV, 25ppm	Not Established

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when spraying.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid <b>Vapor Pressure:</b> Not available <b>Vapor Density:</b> Not available <b>Density:</b> 1.20 – 1.45 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> 4000 - 5000 cP	<b>Odor:</b> Slight Amine <b>Odor threshold:</b> Not available <b>pH:</b> 8.8 - 9.0 <b>Melting point:</b> Not applicable <b>Solubility:</b> Soluble <b>Flash point:</b> 100°C, 212°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	--

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Component Toxicity**

1333-86-4	Carbon Black <sup>1</sup> Oral LD50: 5,000 mg/kg (RAT)
1336-21-6	Ammonium Hydroxide (28%) Oral LD50: 350 mg/kg (RAT)

#### **Possible routes of entry or exposure:**

Inhalation      Eye Contact

#### **Possible target organs of exposure to this mixture:**

Eyes      Lungs

#### **Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

### Section 13 - Disposal

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, dispose of as latex paint.

### Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

### Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

1333-86-4      Carbon Black <sup>1</sup>      Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

### Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Reviewer Revision

Date Prepared: 9/21/2020



# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Liquid Acrylic White      ITEM# 750006751  
Bob Ross® Liquid Acrylic Black <sup>1</sup>      ITEM# R6752

<sup>1</sup> Contains Carbon Black

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

There are no GHS ratings that apply to this product at this time

### GHS Hazards

There are no GHS hazards that apply to this product at this time

### GHS Precautions

There are no GHS precautions that apply to this product at this time

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Carbon Black <sup>1</sup>	1333-86-4	1.00% - 5.00%
Ammonium Hydroxide (28%)	1336-21-6	0.10% - < 1.00%

**(1) Carbon Black - WARNING: This product contains a chemical known to the State of California to cause cancer.**

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## Section 5 - Fire Fighting

Flash Point: 103 C (217 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

<b>Chemical Name / CAS No.</b>	<b>OSHA Exposure Limits</b>	<b>ACGIH Exposure Limits</b>	<b>Other Exposure Limits</b>
Carbon Black 1333-86-4	TWA 3.5 mg/m3	TWA 3.5 mg/m3	Not Established
Ammonium Hydroxide (28%) 1336-21-6	TWA 35 mg/m3 PEL, 50 ppm	TWA 18 mg/m3 TLV, 25ppm	Not Established

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when spraying.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid <b>Vapor Pressure:</b> Not available <b>Vapor Density:</b> Not available <b>Density:</b> 1.20 - 1.35 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> 1500 - 2000 cP	<b>Odor:</b> Slight Amine <b>Odor threshold:</b> Not available <b>pH:</b> 8.8 - 9.0 <b>Melting point:</b> Not applicable <b>Solubility:</b> Soluble <b>Flash point:</b> 103°C, 217°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	--

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Component Toxicity**

1333-86-4	Carbon Black <sup>1</sup> Oral LD50: 5,000 mg/kg (RAT)
1336-21-6	Ammonium Hydroxide (28%) Oral LD50: 350 mg/kg (RAT)

#### **Possible routes of entry or exposure:**

Inhalation      Eye Contact

#### **Possible target organs of exposure to this mixture:**

Eyes      Lungs

#### **Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

## Component Ecotoxicity

### Section 13 - Disposal

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, dispose of as latex paint.

### Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

### Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

1333-86-4      Carbon Black <sup>1</sup>      Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

### Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-09-21

Reviewer Revision 1

Date Prepared: 9/21/2020

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Odorless Thinner ITEM# 750096525

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Material  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Flammable liquid	4	Flash point $\geq 60^{\circ}\text{C}$ (140°F) and $\leq 93^{\circ}\text{C}$ (200°F)
Aspiration hazard	1	Aspiration Toxicity Category 1: Known (regarded)- human evidence - hydrocarbons with kinematic viscosity $\leq 20.5$ mm <sup>2</sup> /s at 40° C.

### GHS Hazards

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways

### GHS Precautions

P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
P235	Keep cool
P280	Wear protective gloves/protective clothing/eye protection/face protection
P331	Do NOT induce vomiting
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P370+P378	In case of fire: Use ... for extinction
P405	Store locked up
P403+P235	Store in a well ventilated place. Keep cool
P501	Dispose of contents/container according to Section 13

Signal Word: Danger



## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	64742-48-9	90.00% - 100.00%

## **Section 4 - First Aid**

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: 62 C (144 F)

LEL: 1.0%

UEL: 6.0%

**Extinguishing Media:** Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this will spread the fire.

**Unusual Fire and Explosion Hazards:** Vapors can travel to a source of ignition and flash back. Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Eliminate all ignition sources. Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. The mixture is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Do not smoke or use near other sources of ignition. Read label before use.

**Conditions for safe storage:** Keep away from heat, sparks and open flame. Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

<b>Chemical Name / CAS No.</b>	<b>OSHA Exposure Limits</b>	<b>ACGIH Exposure Limits</b>	<b>Other Exposure Limits</b>
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha 64742-48-9	PEL 1200 mg/m3	Not Established	Not Established

**Engineering Controls:** Use explosion proof ventilation equipment. Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** Wear approved safety glasses or goggles. Wear solvent-resistant gloves. Be aware that liquid may penetrate the gloves, suitable gloves can be recommended by the glove supplier.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid <b>Vapor Pressure:</b> Not available <b>Vapor Density:</b> Not available <b>Density:</b> 0.76 <b>Freezing point:</b> Not available <b>Boiling range:</b> 190 - 208°C <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> 332°C <b>Viscosity:</b> 1.6 mm2/s at 40 C	<b>Odor:</b> Faint <b>Odor threshold:</b> Not available <b>pH:</b> Not applicable <b>Melting point:</b> Not applicable <b>Solubility:</b> Negligible <b>Flash point:</b> 62°C, 144°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	--

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

**Mixture Toxicity**

**Component Toxicity**

64742-48-9 Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha

Dermal LD50: 3,160 mg/kg (RABBIT)

**Possible routes of entry or exposure:**

Not Applicable

**Possible target organs of exposure to this mixture:**

Not Applicable

**Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

**Acute Toxicity:** May cause central nervous system effects.

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

**Component Ecotoxicity**

Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	LC50 Pimephales promelas 2200 mg/l 96h LC50 Chaetogammarus Marinus 2.6 mg/l 96h
--	--

## **Section 13 - Disposal**

**Disposal Instructions:** Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not discharge into drains, water courses or onto the ground. Dispose of contents/container in accordance with local/regional/national/international regulations.

## **Section 14 - Transport**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## **Section 15 - Regulatory**

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Not Applicable

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
----------------	-------------------	------------------------------



AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

Not Applicable

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-09-21

Reviewer Revision 1

Date Prepared: 9/21/2020

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Oil Paint Medium      ITEM# 750096740

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Material  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Flammable liquid                      4                      Flash point  $\geq 60^{\circ}\text{C}$  (140°F) and  $\leq 93^{\circ}\text{C}$  (200°F)

### GHS Hazards

H227                      Combustible liquid

### GHS Precautions

P210                      Keep away from heat/sparks/open flames/hot surfaces – No smoking  
P235                      Keep cool  
P280                      Wear protective gloves/protective clothing/eye protection/face protection  
P370+P378              In case of fire: Use ... for extinction  
P403+P235              Store in a well ventilated place. Keep cool  
P501                      Dispose of contents/container according to Section 13

**Signal Word: Warning**

### Hazards Not Otherwise Classified (HNOC)

Spontaneous combustion may result from oil soaked materials such as rags, steel wool, paper and clothing.  
Place soaked materials in a sealed, metal container to prevent this.

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	64742-48-9	20.00% - 30.00%

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: 62 C (144 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this will spread the fire.

**Unusual Fire and Explosion Hazards:** Vapors can travel to a source of ignition and flash back. Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/or fumes may generate during combustion or decomposition. Risk of ignition. Rags and other materials containing this product may heat and spontaneously ignite, if exposed to air. Store wiping rags and similar materials in metal cans with tightly fitting lids.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Eliminate all ignition sources. Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor. Oil soaked materials may spontaneously combust.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. The mixture is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Do not smoke or use near other sources of ignition. Read label before use.

**Conditions for safe storage:** Keep away from heat, sparks and open flame. Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha 64742-48-9	PEL 1200 mg/m3	Not Established	Not Established

**Engineering Controls:** Use explosion proof ventilation equipment. Provide adequate ventilation. Observe

Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** Wear approved safety glasses or goggles. Wear solvent-resistant gloves. Be aware that liquid may penetrate the gloves, suitable gloves can be recommended by the glove supplier.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid	<b>Odor:</b> Oil / Solvent
<b>Vapor Pressure:</b> Not available	<b>Odor threshold:</b> Not available
<b>Vapor Density:</b> Not available	<b>pH:</b> Not applicable
<b>Density:</b> 0.889	<b>Melting point:</b> Not applicable
<b>Freezing point:</b> Not available	<b>Solubility:</b> Not soluble
<b>Boiling range:</b> Not available	<b>Flash point:</b> 62°C, 144°F
<b>Evaporation rate:</b> Not available	<b>Flammability:</b> Not applicable
<b>Explosive Limits:</b> Not available	<b>Partition coefficient</b> Not available <b>(n-octanol/water):</b>
<b>Auto ignition temperature:</b> Not available	<b>Decomposition temperature:</b> Not available
<b>Viscosity:</b> Not available	

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

Inhalation Toxicity LC50: 39mg/L

### **Component Toxicity**

64742-48-9 Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha  
Dermal LD50: 3,160 mg/kg (RABBIT)

### **Possible routes of entry or exposure:**

Ingestion

### **Possible target organs of exposure to this mixture:**

Not Applicable

### **Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

CAS Number

None

Description% WeightCarcinogen Rating

Not Applicable

**Acute Toxicity:** May cause central nervous system effects.

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:**Component Ecotoxicity**

Naptha (petroleum), hydrotreated	LC50 Pimephales promelas 2200 mg/l 96h
heavy; low boiling point thermally	LC50 Chaetogammarus Marinus 2.6 mg/l 96h
cracked naptha	

## **Section 13 - Disposal**

**Disposal Instructions:** Dispose of in compliance with the laws and regulations pertaining to this product in your jurisdiction. Oil soaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed, metal containers to help prevent combustion. Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal.

## **Section 14 - Transport**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## **Section 15 - Regulatory**

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Not Applicable

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-08-25  
Date Prepared: 8/25/2020

Reviewer Revision 1

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Liquid Clear Oil Paint

GOLDEN PART# CBR06237

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607) 847-6154  
In US and Canada only: (800) 959-6543

Prepared by: Regulatory Department

Product Use: Artist's Material  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Carcinogen 2 Limited evidence of human or animal carcinogenicity

### GHS Hazards

H351 Suspected of causing cancer

### GHS Precautions

P201 Obtain special instructions before use  
P202 Do not handle until all safety precautions have been read and understood  
P281 Use personal protective equipment as required  
P308+P313 IF exposed or concerned: Get medical advice/attention  
P405 Store locked up  
P501 Dispose of contents/container according to Section 13

Signal Word: Warning



### Hazards Not Otherwise Classified (HNOC)

Spontaneous combustion may result from oil soaked materials such as rags, steel wool, paper and clothing.  
Place soaked materials in a sealed, metal container to prevent this.

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Xylene	1330-20-7	1.00% - < 5.00%
Ethylbenzene	100-41-4	0.10% - < 1.00%

Ethyl Benzene - WARNING: This product contains a chemical known to the State of California to cause cancer.

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: > 93 C (>199 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition. Risk of ignition. Rags and other materials containing this product may heat and spontaneously ignite, if exposed to air. Store wiping rags and similar materials in metal cans with tightly fitting lids.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor. Oil soaked materials may spontaneously combust.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Xylene 1330-20-7	TWA 100ppm, 435 mg/m3	STEL 150ppm	Not Established
Ethylbenzene 100-41-4	TWA 100 ppm/435 mg/m3 ST 125 ppm/545 mg/m3	TWA 20 ppm	Not Established



**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when spraying.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid <b>Vapor Pressure:</b> Not available <b>Vapor Density:</b> Not available <b>Density:</b> 0.975 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> Not available	<b>Odor:</b> Oil <b>Odor threshold:</b> Not available <b>pH:</b> Not applicable <b>Melting point:</b> Not applicable <b>Solubility:</b> Not soluble <b>Flash point:</b> >93°C, >199°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
--	---

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Component Toxicity**

1330-20-7	XYLENE Oral LD50: 4,300 mg/kg (RAT)    Dermal LD50: 1,700 mg/kg (RABBIT)    Inhalation LC50: 5,000 ppm
100-41-4	Ethylbenzene Oral LD50: 3,500 mg/kg (RAT)

### **Possible routes of entry or exposure:**

Inhalation      Skin Contact      Ingestion

### **Possible target organs of exposure to this mixture:**

Kidneys      Liver      Lungs

## Effects of Overexposure

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
100-41-4	Ethylbenzene	0.1% - < 1.0%	Ethylbenzene: Caused cancer in laboratory animal studies. The relevance of these findings to humans is uncertain.

## Section 12 - Ecological Toxicity

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

### Component Ecotoxicity

Ethylbenzene	LC50, RAINBOW TROUT, 96h, 4.2 mg/l EC50, WATER FLEA, 1d, 2.2 mg/l EC50, GREEN ALGAE, 72h, GROWTH INHIBITION 3.6 - 4.6 mg/l
--------------	--

## Section 13 - Disposal

**Disposal Instructions:** Dispose of in compliance with the laws and regulations pertaining to this product in your jurisdiction. Oil soaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed, metal containers to help prevent combustion. Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal.

## Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

100-41-4 Ethylbenzene Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	Yes
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes

PHILIPPINES  
USA

Philippine Inventory of Chemicals and Chemical  
Active-Toxic Substances Control Act (TSCA) Inventory

Yes  
Yes

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2021-01-07

Reviewer Revision 1

Date Prepared: 1/7/2021

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Liquid White Oil Paint      GOLDEN ITEM# CBR06207  
Bob Ross® Liquid Black Oil Paint <sup>1</sup>      GOLDEN ITEM# CBR06227  
Bob Ross® Liquid Opal Oil Paint      GOLDEN ITEM# CBR06239

<sup>1</sup> Contains Carbon Black

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607) 847-6154  
In US and Canada only: (800) 959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Flammable liquid      4      Flash point  $\geq 60^{\circ}\text{C}$  (140°F) and  $\leq 93^{\circ}\text{C}$  (200°F)

### GHS Hazards

H227      Combustible liquid

### GHS Precautions

P210      Keep away from heat/sparks/open flames/hot surfaces – No smoking  
P235      Keep cool  
P280      Wear protective gloves/protective clothing/eye protection/face protection  
P370+P378      In case of fire: Use ... for extinction  
P403+P235      Store in a well ventilated place. Keep cool  
P501      Dispose of contents/container according to Section 13

**Signal Word: Warning**

### Hazards Not Otherwise Classified (HNOC)

Spontaneous combustion may result from oil soaked materials such as rags, steel wool, paper and clothing.  
Place soaked materials in a sealed, metal container to prevent this.

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Carbon Black <sup>1</sup>	1333-86-4	5.00% - 10.00%
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	64742-48-9	1.00% - 10.00%
Quartz (Crystalline Silica)	14808-60-7	0.10% - < 1.00%

**(1) Carbon Black - WARNING:** This product contains a chemical known to the State of California to cause cancer.

**Crystalline Silica - WARNING:** These products contains a chemical known to the State of California to cause cancer. Considered a carcinogen through inhalation overexposure. Also a known cause of silicosis, a noncancerous lung disease.

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: 62 C (144 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this will spread the fire.

**Unusual Fire and Explosion Hazards:** Vapors can travel to a source of ignition and flash back. Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Eliminate all ignition sources. Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor. Oil soaked materials may spontaneously combust.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. The mixture is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Do not smoke or use near other sources of ignition. Read label before use.

**Conditions for safe storage:** Keep away from heat, sparks and open flame. Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Carbon Black <sup>1</sup> 1333-86-4	TWA 3.5 mg/m3	TWA 3.5 mg/m3	Not Established

Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha 64742-48-9	PEL 1200 mg/m3	Not Established	Not Established
Quartz (Crystalline Silica) 14808-60-7	TWA 0.05 mg/m3 (Respirable Fraction)	TWA 0.025 mg/m3 (Respirable Fraction)	Not Established

**Engineering Controls:** Use explosion proof ventilation equipment. Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** Wear approved safety glasses or goggles. Wear solvent-resistant gloves. Be aware that liquid may penetrate the gloves, suitable gloves can be recommended by the glove supplier.

## Section 9 - Properties

Properties listed are typical and not to be used as a specification.

<p><b>Appearance:</b> Liquid</p> <p><b>Vapor Pressure:</b> Not available</p> <p><b>Vapor Density:</b> Not available</p> <p><b>Density:</b> 1.20 – 1.60</p> <p><b>Freezing point:</b> Not available</p> <p><b>Boiling range:</b> Not available</p> <p><b>Evaporation rate:</b> Not available</p> <p><b>Explosive Limits:</b> Not available</p> <p><b>Auto ignition temperature:</b> Not available</p> <p><b>Viscosity:</b> Not available</p>	<p><b>Odor:</b> Oil / Solvent</p> <p><b>Odor threshold:</b> Not available</p> <p><b>pH:</b> Not applicable</p> <p><b>Melting point:</b> Not applicable</p> <p><b>Solubility:</b> Not soluble</p> <p><b>Flash point:</b> 62°C, 144°F</p> <p><b>Flammability:</b> Not applicable</p> <p><b>Partition coefficient</b> Not available <b>(n-octanol/water):</b></p> <p><b>Decomposition temperature:</b> Not available</p>
---	---

## Section 10 - Reactivity

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## Section 11 - Toxicology

### **Mixture Toxicity**

Inhalation Toxicity LC50: 105mg/L

### **Component Toxicity**

1333-86-4 Carbon Black <sup>1</sup>

Oral LD50: 5,000 mg/kg (RAT)  
64742-48-9 Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha  
Dermal LD50: 3,160 mg/kg (RABBIT)

**Possible routes of entry or exposure:**

Inhalation      Eye Contact      Ingestion

**Possible target organs of exposure to this mixture:**

Eyes      Lungs

**Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
14808-60-7	Quartz (Crystalline Silica)	0.1% - < 1.0%	Quartz (Crystalline Silica): WARNING: This product contains crystalline silica, a chemical known to the State of California to cause cancer by means of inhalation.

**Acute Toxicity:** May cause central nervous system effects.

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

**Component Ecotoxicity**

Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	LC50 Pimephales promelas 2200 mg/l 96h LC50 Chaetogammarus Marinus 2.6 mg/l 96h
--	--

## **Section 13 - Disposal**

**Disposal Instructions:** Dispose of in compliance with the laws and regulations pertaining to this product in your jurisdiction. Oil soaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed, metal containers to help prevent combustion. Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal.

## **Section 14 - Transport**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## **Section 15 - Regulatory**

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

1333-86-4	Carbon Black <sup>1</sup>	Carcinogen
14808-60-7	Quartz (Crystalline Silica)	Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

## Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2021-01-07

Reviewer Revision 1

Date Prepared: 1/7/2021



# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Brush Cleaner and Conditioner      GOLDEN ITEM# CBR06245

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607) 847-6154  
In US and Canada only: (800) 959-6543

Prepared by: Regulatory Department

Product Use: Artist's Material  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

There are no GHS ratings that apply to this product at this time

### GHS Hazards

There are no GHS hazards that apply to this product at this time

### GHS Precautions

There are no GHS precautions that apply to this product at this time

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
White Mineral Oil	8042-47-5	90.00% - 100.00%

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## Section 5 - Fire Fighting

Flash Point: > 93 C (> 200 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water

Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and soot.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

<b>Chemical Name / CAS No.</b>	<b>OSHA Exposure Limits</b>	<b>ACGIH Exposure Limits</b>	<b>Other Exposure Limits</b>
White Mineral Oil 8042-47-5	Not Established	Not Established	Not Established

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid	<b>Odor:</b> Oily
<b>Vapor Pressure:</b> Not available	<b>Odor threshold:</b> Not available

<b>Vapor Density:</b> Not available <b>Density:</b> 0.86 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> 180 - 300 cP	<b>pH:</b> Not applicable <b>Melting point:</b> Not applicable <b>Solubility:</b> Not soluble <b>Flash point:</b> > 93°C, > 200°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	---

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

**Mixture Toxicity**

**Component Toxicity**

**Possible routes of entry or exposure:**

Not Applicable

**Possible target organs of exposure to this mixture:**

Not Applicable

**Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

**Component Ecotoxicity**

## **Section 13 - Disposal**

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, absorb into inert material and dispose of as household waste.

## **Section 14 - Transport**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## **Section 15 - Regulatory**

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Not Applicable

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	Yes
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

Not Applicable

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-11-20  
Date Prepared: 11/20/2020

Reviewer Revision 1

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Brush Cleaner and Conditioner      GOLDEN ITEM# CBR06245

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607) 847-6154  
In US and Canada only: (800) 959-6543

Prepared by: Regulatory Department

Product Use: Artist's Material  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

There are no GHS ratings that apply to this product at this time

### GHS Hazards

There are no GHS hazards that apply to this product at this time

### GHS Precautions

There are no GHS precautions that apply to this product at this time

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
White Mineral Oil	8042-47-5	90.00% - 100.00%

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## Section 5 - Fire Fighting

Flash Point: > 93 C (> 200 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water

Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and soot.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

<b>Chemical Name / CAS No.</b>	<b>OSHA Exposure Limits</b>	<b>ACGIH Exposure Limits</b>	<b>Other Exposure Limits</b>
White Mineral Oil 8042-47-5	Not Established	Not Established	Not Established

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid	<b>Odor:</b> Oily
<b>Vapor Pressure:</b> Not available	<b>Odor threshold:</b> Not available

<b>Vapor Density:</b> Not available <b>Density:</b> 0.86 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> 180 - 300 cP	<b>pH:</b> Not applicable <b>Melting point:</b> Not applicable <b>Solubility:</b> Not soluble <b>Flash point:</b> > 93°C, > 200°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	---

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

**Mixture Toxicity**

**Component Toxicity**

**Possible routes of entry or exposure:**

Not Applicable

**Possible target organs of exposure to this mixture:**

Not Applicable

**Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

**Component Ecotoxicity**

## **Section 13 - Disposal**

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, absorb into inert material and dispose of as household waste.

## **Section 14 - Transport**

<b><u>Agency</u></b>	<b><u>Proper Shipping Name</u></b>	<b><u>UN Number</u></b>	<b><u>Packing</u></b>	<b><u>Hazard Class</u></b>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## **Section 15 - Regulatory**

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Not Applicable

<b><u>Country</u></b>	<b><u>Regulation</u></b>	<b><u>All Components Listed</u></b>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	Yes
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

Not Applicable

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-11-20  
Date Prepared: 11/20/2020

Reviewer Revision 1



# Safety Data Sheet

## Section 1 - Identification

Description	GOLDEN ITEM#
-------------	--------------

Bob Ross® firm oil paint Dark Sienna	CBR16001
Bob Ross® firm oil paint Midnight Black	CBR16004
Bob Ross® firm oil paint Titanium White	CBR16010
Bob Ross® firm oil paint Van Dyke Brown	CBR16012
Bob Ross® firm oil paint Yellow Ochre	CBR16014
Bob Ross® firm oil paint Prussian Blue	CBR16019
Bob Ross® firm oil paint Mountain Mixture	CBR16020
Bob Ross® firm oil paint Sap Green	CBR16021
Bob Ross® firm oil paint Alizarin Crimson	CBR16022
Bob Ross® firm oil paint Phthalo Blue	CBR16032
Bob Ross® firm oil paint Phthalo Green	CBR16033
Bob Ross® firm oil paint Bright Red	CBR16035
Bob Ross® firm oil paint Cadmium Yellow (Hue)	CBR16037
Bob Ross® firm oil paint Indian Yellow	CBR16070

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US and Canada Only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

There are no GHS ratings that apply to this product at this time

### GHS Hazards

There are no GHS hazards that apply to this product at this time

### GHS Precautions

There are no GHS precautions that apply to this product at this time

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %

No reportable quantities of hazardous materials present

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: > 99 C (> 210 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
		Not Established	Not Established

**No reportable quantities of hazardous materials present**

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid	<b>Odor:</b> Linseed Oil
<b>Vapor Pressure:</b> Not available	<b>Odor threshold:</b> Not available

<b>Vapor Density:</b> Not available <b>Density:</b> 1.35 – 2.00 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> Not available	<b>pH:</b> Not applicable <b>Melting point:</b> Not applicable <b>Solubility:</b> Not soluble <b>Flash point:</b> > 99°C, > 210°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	---

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Possible routes of entry or exposure:**

Not Applicable

#### **Possible target organs of exposure to this mixture:**

Not Applicable

#### **Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

## **Section 13 - Disposal**

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, allow to dry and dispose of as solid waste.

## **Section 14 - Transport**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Not Applicable

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

## Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-09-30  
Date Prepared: 9/30/2020

Reviewer Revision 2

# SAFETY DATA SHEET

09/14/2017

## SECTION I - IDENTIFICATION

### Material Name

BOB ROSS FOR KIDS ACRYLIC

### Company Information

Handy Art, Inc.  
365 Sunnyside Drive  
Milton, WI 53563  
Phone: 1-608-868-6873  
Fax: 1-608-868-6233  
Email: handyart@handyart.com

For emergencies call: 608-868-6873

For health emergencies call the Poison Control Center: 1-800-222-1222

## SECTION II - HAZARDS IDENTIFICATION

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

There are no GHS label elements.

PRIMARY ROUTES OF ENTRY: INHALATION, INGESTION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

CARCINOGEN LISTING: NTP: **NO** IARC: **NO** OSHA: **NO**

SEE SECTION III FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

## SECTION III - COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS

<b>Hazardous Ingredients</b>	<b>CAS/EC #</b>	<b>PEL/TLV (MG/M#)</b>	<b>Max % Weight</b>	<b>NTP</b>	<b>IARC</b>
None					

## SECTION IV - FIRST AID MEASURES

FIRST AID MEASURES: NONE REQUIRED. NO ACUTE HEALTH EFFECTS EXPECTED.

## SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A

AUTOIGNITION TEMPERATURE: N/A

EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE

EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED

FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED

UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

## **SECTION VI - ACCIDENTAL RELEASE MEASURES**

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

## **SECTION VII - HANDLING AND STORAGE**

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

## **SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION**

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED  
OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED  
WORK/HYGIENE PRACTICES: NONE REQUIRED  
ENGINEERING CONTROLS: NONE REQUIRED

## **SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT: N/A	MELTING POINT: N/A
VAPOR PRESSURE: N/A	
SPECIFIC VAPOR DENSITY (AIR=1): N/A	SPECIFIC GRAVITY: N/A
SOLUBILITY IN WATER: N/A	REACTIVITY IN WATER: NON-REACTIVE

## **SECTION X - STABILITY AND REACTIVITY**

HAZARDOUS POLYMERIZATION PRODUCTS: N/A  
STABILITY: STABLE CONDITIONS TO AVOID: N/A  
INCOMPATIBILITY (MATERIALS TO AVOID): N/A  
HAZARDOUS DECOMPOSITION PRODUCTS: N/A

## **SECTION XI - TOXICOLOGICAL INFORMATION**

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED  
The summated LD50 is 28142 mg/kg.  
The summated LC50 is 12046 mg/cubic meter.  
This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

## **SECTION XII - ECOLOGICAL INFORMATION**

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

## **SECTION XIII - DISPOSAL CONSIDERATIONS**

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.  
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

## **SECTION XIV - TRANSPORTATION INFORMATION**

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

## SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200

EPA SARA TITLE III CHEMICAL LISTINGS:

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):

NONE

### INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:

FERRIC OXIDE

MICA

PIGMENT BROWN 7

PROPYLENE GLYCOL

### SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:

CHROMIUM OXIDE GREEN

MICA

PIGMENT BROWN 7

PIGMENT RED 101

PIGMENT WHITE 6

PROPYLENE GLYCOL

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN FLORIDA'S TOXIC SUBSTANCE LIST:

Iron oxide fume

Mica dust

PIGMENT BROWN 7

n-Methylethanolamine

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MAINE'S PRIORITY CHEMICAL LIST:

NONYL PHENOL ETHOXYLATE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS CONSIDERED BY VERMONT AS BEING OF VERY HIGH CONCERN TO CHILDREN:

NONYL PHENOL ETHOXYLATE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MASSACHUSETTS HAZARDOUS SUBSTANCE LIST:

Calcium carbonate

Carbon black

Chromium (III) oxide

Iron oxide dust

Mica Dust

N-methylethanolamine

PIGMENT BROWN 7

Titanium dioxide

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MICHIGAN'S CRITICAL MATERIALS REGISTER:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MINNESOTA'S HAZARDOUS SUBSTANCES LIST:

Calcium carbonate

Carbon black

Iron oxide fume (Fe<sub>2</sub>O<sub>3</sub>) as Fe  
Limestone  
PIGMENT BROWN 7  
Propylene glycol  
Titanium dioxide

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN PENNSYLVANIA'S HAZARDOUS SUBSTANCES LIST:

1,2-Propanediol  
Carbon black  
Ethanol, 2-(methylamino)-  
Iron oxide  
Limestone  
Mica-group minerals  
PIGMENT BROWN 7  
Titanium oxide

Under CPSC's consumer product regulations (16CFR1500.3 and 1500.14), this product has the following required acute and chronic hazard labeling:

**NONE**

## **SECTION XVI - OTHER INFORMATION**

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**LAST REVISION DATE: 09/12/2017**

**Prepared by Duke OEM Toxicology**



## COLOR INFORMATION

THIS SDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

Product Color	SKU	Hazardous Ingredient
KID LIQUID WHITE		(NONE)
KID TITANIUM WHITE		(NONE)
KID CADMIUM YELLOW (HUE)		(NONE)
KID BRIGHT RED		(NONE)
KID PRUSSIAN BLUE		(NONE)
KID SAP GREEN		(NONE)
KID VAN DYKE BROWN		(NONE)

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® White Gesso      GOLDEN ITEM# CBR06250  
Bob Ross® Gray Gesso      GOLDEN ITEM# CBR06257  
Bob Ross® Black Gesso <sup>1</sup>      GOLDEN ITEM# CBR06262

<sup>1</sup> Contains Carbon Black

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US and Canada only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

There are no GHS ratings that apply to this product at this time

### GHS Hazards

There are no GHS hazards that apply to this product at this time

### GHS Precautions

There are no GHS precautions that apply to this product at this time

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Carbon Black <sup>1</sup>	1333-86-4	1.00% - 5.00%
Ammonium Hydroxide (28%)	1336-21-6	0.10% - < 1.00%

**(1) Carbon Black - WARNING: This product contains a chemical known to the State of California to cause cancer.**

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## Section 5 - Fire Fighting

Flash Point: 100 C (212 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

<b>Chemical Name / CAS No.</b>	<b>OSHA Exposure Limits</b>	<b>ACGIH Exposure Limits</b>	<b>Other Exposure Limits</b>
Carbon Black <sup>1</sup> 1333-86-4	TWA 3.5 mg/m3	TWA 3.5 mg/m3	Not Established
Ammonium Hydroxide (28%) 1336-21-6	TWA 35 mg/m3 PEL, 50 ppm	TWA 18 mg/m3 TLV, 25ppm	Not Established

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when spraying.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid <b>Vapor Pressure:</b> Not available <b>Vapor Density:</b> Not available <b>Density:</b> 1.20 – 1.45 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> 4000 - 5000 cP	<b>Odor:</b> Slight Amine <b>Odor threshold:</b> Not available <b>pH:</b> 8.8 - 9.0 <b>Melting point:</b> Not applicable <b>Solubility:</b> Soluble <b>Flash point:</b> 100°C, 212°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	--

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Component Toxicity**

1333-86-4	Carbon Black <sup>1</sup> Oral LD50: 5,000 mg/kg (RAT)
1336-21-6	Ammonium Hydroxide (28%) Oral LD50: 350 mg/kg (RAT)

#### **Possible routes of entry or exposure:**

Inhalation      Eye Contact

#### **Possible target organs of exposure to this mixture:**

Eyes      Lungs

#### **Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

## Component Ecotoxicity

### Section 13 - Disposal

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, dispose of as latex paint.

### Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

### Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

1333-86-4      Carbon Black <sup>1</sup>      Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

### Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-09-30

Reviewer Revision 2

Date Prepared: 9/30/2020

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Liquid Acrylic White GOLDEN ITEM# CBR06751  
Bob Ross® Liquid Acrylic Black <sup>1</sup> GOLDEN ITEM# CBR06752

<sup>1</sup> Contains Carbon Black

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US and Canada only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

There are no GHS ratings that apply to this product at this time

### GHS Hazards

There are no GHS hazards that apply to this product at this time

### GHS Precautions

There are no GHS precautions that apply to this product at this time

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Carbon Black <sup>1</sup>	1333-86-4	1.00% - 5.00%
Ammonium Hydroxide (28%)	1336-21-6	0.10% - < 1.00%

**(1) Carbon Black - WARNING:** This product contains a chemical known to the State of California to cause cancer.

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## Section 5 - Fire Fighting

Flash Point: 103 C (217 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

<b>Chemical Name / CAS No.</b>	<b>OSHA Exposure Limits</b>	<b>ACGIH Exposure Limits</b>	<b>Other Exposure Limits</b>
Carbon Black 1333-86-4	TWA 3.5 mg/m3	TWA 3.5 mg/m3	Not Established
Ammonium Hydroxide (28%) 1336-21-6	TWA 35 mg/m3 PEL, 50 ppm	TWA 18 mg/m3 TLV, 25ppm	Not Established

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when spraying.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid <b>Vapor Pressure:</b> Not available <b>Vapor Density:</b> Not available <b>Density:</b> 1.20 - 1.35 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> 1500 - 2000 cP	<b>Odor:</b> Slight Amine <b>Odor threshold:</b> Not available <b>pH:</b> 8.8 - 9.0 <b>Melting point:</b> Not applicable <b>Solubility:</b> Soluble <b>Flash point:</b> 103°C, 217°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	--

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Component Toxicity**

1333-86-4	Carbon Black <sup>1</sup> Oral LD50: 5,000 mg/kg (RAT)
1336-21-6	Ammonium Hydroxide (28%) Oral LD50: 350 mg/kg (RAT)

#### **Possible routes of entry or exposure:**

Inhalation      Eye Contact

#### **Possible target organs of exposure to this mixture:**

Eyes      Lungs

#### **Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:



## Component Ecotoxicity

### Section 13 - Disposal

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, dispose of as latex paint.

### Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

### Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

1333-86-4      Carbon Black <sup>1</sup>      Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

### Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-09-30  
Date Prepared: 9/30/2020

Reviewer Revision 2

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Odorless Thinner GOLDEN ITEM# CBR96525

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US and Canada only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Material  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Flammable liquid	4	Flash point $\geq 60^{\circ}\text{C}$ (140°F) and $\leq 93^{\circ}\text{C}$ (200°F)
Aspiration hazard	1	Aspiration Toxicity Category 1: Known (regarded)- human evidence - hydrocarbons with kinematic viscosity $\leq 20.5 \text{ mm}^2/\text{s}$ at 40° C.

### GHS Hazards

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways

### GHS Precautions

P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
P235	Keep cool
P280	Wear protective gloves/protective clothing/eye protection/face protection
P331	Do NOT induce vomiting
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P370+P378	In case of fire: Use ... for extinction
P405	Store locked up
P403+P235	Store in a well ventilated place. Keep cool
P501	Dispose of contents/container according to Section 13

Signal Word: Danger



## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	64742-48-9	90.00% - 100.00%

## **Section 4 - First Aid**

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: 62 C (144 F)

LEL: 1.0%

UEL: 6.0%

**Extinguishing Media:** Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this will spread the fire.

**Unusual Fire and Explosion Hazards:** Vapors can travel to a source of ignition and flash back. Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Eliminate all ignition sources. Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. The mixture is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Do not smoke or use near other sources of ignition. Read label before use.

**Conditions for safe storage:** Keep away from heat, sparks and open flame. Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

<b>Chemical Name / CAS No.</b>	<b>OSHA Exposure Limits</b>	<b>ACGIH Exposure Limits</b>	<b>Other Exposure Limits</b>
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha 64742-48-9	PEL 1200 mg/m3	Not Established	Not Established

**Engineering Controls:** Use explosion proof ventilation equipment. Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** Wear approved safety glasses or goggles. Wear solvent-resistant gloves. Be aware that liquid may penetrate the gloves, suitable gloves can be recommended by the glove supplier.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid <b>Vapor Pressure:</b> Not available <b>Vapor Density:</b> Not available <b>Density:</b> 0.76 <b>Freezing point:</b> Not available <b>Boiling range:</b> 190 - 208°C <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> 332°C <b>Viscosity:</b> 1.6 mm2/s at 40 C	<b>Odor:</b> Faint <b>Odor threshold:</b> Not available <b>pH:</b> Not applicable <b>Melting point:</b> Not applicable <b>Solubility:</b> Negligible <b>Flash point:</b> 62°C, 144°F <b>Flammability:</b> Not applicable <b>Partition coefficient</b> Not available <b>(n-octanol/water):</b> <b>Decomposition temperature:</b> Not available
---	--

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

**Mixture Toxicity**

**Component Toxicity**

64742-48-9 Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha

Dermal LD50: 3,160 mg/kg (RABBIT)

**Possible routes of entry or exposure:**

Not Applicable

**Possible target organs of exposure to this mixture:**

Not Applicable

**Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

**Acute Toxicity:** May cause central nervous system effects.

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

**Component Ecotoxicity**

Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	LC50 Pimephales promelas 2200 mg/l 96h LC50 Chaetogammarus Marinus 2.6 mg/l 96h
--	--

## **Section 13 - Disposal**

**Disposal Instructions:** Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not discharge into drains, water courses or onto the ground. Dispose of contents/container in accordance with local/regional/national/international regulations.

## **Section 14 - Transport**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## **Section 15 - Regulatory**

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Not Applicable

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
----------------	-------------------	------------------------------

AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

Not Applicable

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-09-30

Reviewer Revision 2

Date Prepared: 9/30/2020

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Oil Paint Medium      GOLDEN ITEM# CBR96740

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US and Canada only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Material  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Flammable liquid                      4                      Flash point  $\geq 60^{\circ}\text{C}$  (140°F) and  $\leq 93^{\circ}\text{C}$  (200°F)

### GHS Hazards

H227                      Combustible liquid

### GHS Precautions

P210                      Keep away from heat/sparks/open flames/hot surfaces – No smoking  
P235                      Keep cool  
P280                      Wear protective gloves/protective clothing/eye protection/face protection  
P370+P378              In case of fire: Use ... for extinction  
P403+P235              Store in a well ventilated place. Keep cool  
P501                      Dispose of contents/container according to Section 13

**Signal Word: Warning**

### Hazards Not Otherwise Classified (HNOC)

Spontaneous combustion may result from oil soaked materials such as rags, steel wool, paper and clothing.  
Place soaked materials in a sealed, metal container to prevent this.

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	64742-48-9	20.00% - 30.00%

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: 62 C (144 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this will spread the fire.

**Unusual Fire and Explosion Hazards:** Vapors can travel to a source of ignition and flash back. Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/or fumes may generate during combustion or decomposition. Risk of ignition. Rags and other materials containing this product may heat and spontaneously ignite, if exposed to air. Store wiping rags and similar materials in metal cans with tightly fitting lids.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Eliminate all ignition sources. Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor. Oil soaked materials may spontaneously combust.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. The mixture is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Do not smoke or use near other sources of ignition. Read label before use.

**Conditions for safe storage:** Keep away from heat, sparks and open flame. Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha 64742-48-9	PEL 1200 mg/m3	Not Established	Not Established

**Engineering Controls:** Use explosion proof ventilation equipment. Provide adequate ventilation. Observe



Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** Wear approved safety glasses or goggles. Wear solvent-resistant gloves. Be aware that liquid may penetrate the gloves, suitable gloves can be recommended by the glove supplier.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid	<b>Odor:</b> Oil / Solvent
<b>Vapor Pressure:</b> Not available	<b>Odor threshold:</b> Not available
<b>Vapor Density:</b> Not available	<b>pH:</b> Not applicable
<b>Density:</b> 0.889	<b>Melting point:</b> Not applicable
<b>Freezing point:</b> Not available	<b>Solubility:</b> Not soluble
<b>Boiling range:</b> Not available	<b>Flash point:</b> 62°C, 144°F
<b>Evaporation rate:</b> Not available	<b>Flammability:</b> Not applicable
<b>Explosive Limits:</b> Not available	<b>Partition coefficient</b> Not available <b>(n-octanol/water):</b>
<b>Auto ignition temperature:</b> Not available	<b>Decomposition temperature:</b> Not available
<b>Viscosity:</b> Not available	

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

Inhalation Toxicity LC50: 39mg/L

### **Component Toxicity**

64742-48-9 Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha  
Dermal LD50: 3,160 mg/kg (RABBIT)

### **Possible routes of entry or exposure:**

Ingestion

### **Possible target organs of exposure to this mixture:**

Not Applicable

### **Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

CAS Number

None

Description% WeightCarcinogen Rating

Not Applicable

**Acute Toxicity:** May cause central nervous system effects.

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:**Component Ecotoxicity**

Naptha (petroleum), hydrotreated	LC50 Pimephales promelas 2200 mg/l 96h
heavy; low boiling point thermally cracked naptha	LC50 Chaetogammarus Marinus 2.6 mg/l 96h

## **Section 13 - Disposal**

**Disposal Instructions:** Dispose of in compliance with the laws and regulations pertaining to this product in your jurisdiction. Oil soaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed, metal containers to help prevent combustion. Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal.

## **Section 14 - Transport**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## **Section 15 - Regulatory**

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Not Applicable

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2020-09-30  
Date Prepared: 9/30/2020

Reviewer Revision 2

# Safety Data Sheet

## Section 1 - Identification

Description	GOLDEN ITEM#
Bob Ross® soft oil paint Cadmium Red Light	CBR06701
Bob Ross® soft oil paint Cadmium Orange	CBR06702
Bob Ross® soft oil paint Cadmium Yellow Light	CBR06703
Bob Ross® soft oil paint Alizarin Crimson	CBR06704
Bob Ross® soft oil paint Cadmium Red Medium	CBR06705
Bob Ross® soft oil paint Flower Pink	CBR06706
Bob Ross® soft oil paint Ivory Black	CBR06707
Bob Ross® soft oil paint Mauve	CBR06708
Bob Ross® soft oil paint Sap Green	CBR06709
Bob Ross® soft oil paint Titanium White	CBR06710 & CBR06730
Bob Ross® soft oil paint Turquoise	CBR06711
Bob Ross® soft oil paint Ultramarine Blue	CBR06712
Bob Ross® soft oil paint Burnt Umber	CBR06714
Bob Ross® soft oil paint Raw Umber	CBR06715
Bob Ross® soft oil paint Burnt Sienna	CBR06716
Bob Ross® soft oil paint Yellow Ochre	CBR06717
Bob Ross® soft oil paint Indian Yellow	CBR06718
Bob Ross® soft oil paint Transparent Black	CBR06719
Bob Ross® soft oil paint Warm White	CBR16713

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US and Canada Only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

This material is considered to be NON-HAZARDOUS according to regulatory guidelines.

This product does not meet the hazard classification criteria of the Hazardous Products Regulations (HPR) SOR/2015-17 and this SDS contains all the information required by HPR SOR/2015-17.

### GHS Ratings:

There are no GHS ratings that apply to this product at this time

### GHS Hazards

There are no GHS hazards that apply to this product at this time

### GHS Precautions

There are no GHS precautions that apply to this product at this time

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %

No reportable quantities of hazardous materials present

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: > 99 C (> 210 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
		Not Established	Not Established

**No reportable quantities of hazardous materials present**

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid	<b>Odor:</b> Linseed Oil
<b>Vapor Pressure:</b> Not available	<b>Odor threshold:</b> Not available

<b>Vapor Density:</b> Not available <b>Density:</b> 1.00 – 2.55 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> Not available	<b>pH:</b> Not applicable <b>Melting point:</b> Not applicable <b>Solubility:</b> Not soluble <b>Flash point:</b> > 99°C, > 210°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	---

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Possible routes of entry or exposure:**

Not Applicable

#### **Possible target organs of exposure to this mixture:**

Not Applicable

#### **Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties.

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity.

## **Section 13 - Disposal**

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, allow to dry and dispose of as solid waste.

## **Section 14 - Transport**

<b><u>Agency</u></b>	<b><u>Proper Shipping Name</u></b>	<b><u>UN Number</u></b>	<b><u>Packing Group</u></b>	<b><u>Hazard Class</u></b>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			
TDG	Not Regulated			

## **Section 15 - Regulatory**

<b><u>Country</u></b>	<b><u>Regulation</u></b>	<b><u>All Components Listed</u></b>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2022-02-14  
Date Prepared: 2/14/2022

Reviewer Revision 1

# Safety Data Sheet

## Section 1 - Identification

Description	GOLDEN ITEM#
Bob Ross® soft oil paint Cadmium Red Light <sup>1</sup>	CBR06701
Bob Ross® soft oil paint Cadmium Orange <sup>1</sup>	CBR06702
Bob Ross® soft oil paint Cadmium Yellow Light <sup>1</sup>	CBR06703
Bob Ross® soft oil paint Alizarin Crimson	CBR06704
Bob Ross® soft oil paint Cadmium Red Medium <sup>1</sup>	CBR06705
Bob Ross® soft oil paint Flower Pink	CBR06706
Bob Ross® soft oil paint Ivory Black <sup>2</sup>	CBR06707
Bob Ross® soft oil paint Mauve	CBR06708
Bob Ross® soft oil paint Sap Green	CBR06709
Bob Ross® soft oil paint Titanium White	CBR06710 & CBR06730
Bob Ross® soft oil paint Turquoise	CBR06711
Bob Ross® soft oil paint Ultramarine Blue	CBR06712
Bob Ross® soft oil paint Burnt Umber <sup>3</sup>	CBR06714
Bob Ross® soft oil paint Raw Umber <sup>2,3</sup>	CBR06715
Bob Ross® soft oil paint Burnt Sienna <sup>3</sup>	CBR06716
Bob Ross® soft oil paint Yellow Ochre <sup>3</sup>	CBR06717
Bob Ross® soft oil paint Indian Yellow	CBR06718
Bob Ross® soft oil paint Transparent Black	CBR06719
Bob Ross® soft oil paint Warm White	CBR16713

<sup>1,2,3</sup> Denotes Additional Information Found in Section 15

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US and Canada Only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

There are no GHS ratings that apply to this product at this time

### GHS Hazards

There are no GHS hazards that apply to this product at this time

### GHS Precautions

There are no GHS precautions that apply to this product at this time

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %

No reportable quantities of hazardous materials present

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.



## **Section 5 - Fire Fighting**

Flash Point: > 99 C (> 210 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
		Not Established	Not Established

**No reportable quantities of hazardous materials present**

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid	<b>Odor:</b> Linseed Oil
<b>Vapor Pressure:</b> Not available	<b>Odor threshold:</b> Not available

<b>Vapor Density:</b> Not available <b>Density:</b> 1.00 – 2.55 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> Not available	<b>pH:</b> Not applicable <b>Melting point:</b> Not applicable <b>Solubility:</b> Not soluble <b>Flash point:</b> > 99°C, > 210°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
---	---

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Possible routes of entry or exposure:**

Not Applicable

#### **Possible target organs of exposure to this mixture:**

Not Applicable

#### **Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties.

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity.

## **Section 13 - Disposal**

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, allow to dry and dispose of as solid waste.

## **Section 14 - Transport**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

<u>CAS#</u>	<u>Description</u>	<u>Hazard</u>
Various	Cadmium Compound <sup>1</sup>	Carcinogen
1333-86-4	Carbon Black <sup>2</sup>	Carcinogen
14808-60-7	Quartz (Crystalline Silica) <sup>3</sup>	Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

## Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2022-02-14  
Date Prepared: 2/14/2022

Reviewer Revision 1

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Liquid White Oil Paint      GOLDEN ITEM# CBR06207  
Bob Ross® Liquid Black Oil Paint <sup>1</sup>      GOLDEN ITEM# CBR06227  
Bob Ross® Liquid Opal Oil Paint      GOLDEN ITEM# CBR06239

<sup>1</sup> Contains Carbon Black

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607) 847-6154  
In US and Canada only: (800) 959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Flammable liquid      4      Flash point  $\geq 60^{\circ}\text{C}$  (140°F) and  $\leq 93^{\circ}\text{C}$  (200°F)

### GHS Hazards

H227      Combustible liquid

### GHS Precautions

P210      Keep away from heat/sparks/open flames/hot surfaces – No smoking  
P235      Keep cool  
P280      Wear protective gloves/protective clothing/eye protection/face protection  
P370+P378      In case of fire: Use ... for extinction  
P403+P235      Store in a well ventilated place. Keep cool  
P501      Dispose of contents/container according to Section 13

**Signal Word: Warning**

### Hazards Not Otherwise Classified (HNOC)

Spontaneous combustion may result from oil soaked materials such as rags, steel wool, paper and clothing.  
Place soaked materials in a sealed, metal container to prevent this.

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Carbon Black <sup>1</sup>	1333-86-4	5.00% - 10.00%
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	64742-48-9	1.00% - 10.00%
Quartz (Crystalline Silica)	14808-60-7	0.10% - < 1.00%

**(1) Carbon Black - WARNING:** This product contains a chemical known to the State of California to cause cancer.

**Crystalline Silica - WARNING:** These products contains a chemical known to the State of California to cause cancer. Considered a carcinogen through inhalation overexposure. Also a known cause of silicosis, a noncancerous lung disease.

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: 62 C (144 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this will spread the fire.

**Unusual Fire and Explosion Hazards:** Vapors can travel to a source of ignition and flash back. Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Eliminate all ignition sources. Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor. Oil soaked materials may spontaneously combust.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. The mixture is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Do not smoke or use near other sources of ignition. Read label before use.

**Conditions for safe storage:** Keep away from heat, sparks and open flame. Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Carbon Black <sup>1</sup> 1333-86-4	TWA 3.5 mg/m3	TWA 3.5 mg/m3	Not Established

Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha 64742-48-9	PEL 1200 mg/m3	Not Established	Not Established
Quartz (Crystalline Silica) 14808-60-7	TWA 0.05 mg/m3 (Respirable Fraction)	TWA 0.025 mg/m3 (Respirable Fraction)	Not Established

**Engineering Controls:** Use explosion proof ventilation equipment. Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** Wear approved safety glasses or goggles. Wear solvent-resistant gloves. Be aware that liquid may penetrate the gloves, suitable gloves can be recommended by the glove supplier.

## Section 9 - Properties

Properties listed are typical and not to be used as a specification.

<p><b>Appearance:</b> Liquid</p> <p><b>Vapor Pressure:</b> Not available</p> <p><b>Vapor Density:</b> Not available</p> <p><b>Density:</b> 1.20 – 1.60</p> <p><b>Freezing point:</b> Not available</p> <p><b>Boiling range:</b> Not available</p> <p><b>Evaporation rate:</b> Not available</p> <p><b>Explosive Limits:</b> Not available</p> <p><b>Auto ignition temperature:</b> Not available</p> <p><b>Viscosity:</b> Not available</p>	<p><b>Odor:</b> Oil / Solvent</p> <p><b>Odor threshold:</b> Not available</p> <p><b>pH:</b> Not applicable</p> <p><b>Melting point:</b> Not applicable</p> <p><b>Solubility:</b> Not soluble</p> <p><b>Flash point:</b> 62°C, 144°F</p> <p><b>Flammability:</b> Not applicable</p> <p><b>Partition coefficient</b> Not available <b>(n-octanol/water):</b></p> <p><b>Decomposition temperature:</b> Not available</p>
---	---

## Section 10 - Reactivity

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## Section 11 - Toxicology

### **Mixture Toxicity**

Inhalation Toxicity LC50: 105mg/L

### **Component Toxicity**

1333-86-4 Carbon Black <sup>1</sup>

Oral LD50: 5,000 mg/kg (RAT)  
64742-48-9 Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha  
Dermal LD50: 3,160 mg/kg (RABBIT)

**Possible routes of entry or exposure:**

Inhalation      Eye Contact      Ingestion

**Possible target organs of exposure to this mixture:**

Eyes      Lungs

**Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
14808-60-7	Quartz (Crystalline Silica)	0.1% - < 1.0%	Quartz (Crystalline Silica): WARNING: This product contains crystalline silica, a chemical known to the State of California to cause cancer by means of inhalation.

**Acute Toxicity:** May cause central nervous system effects.

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

**Component Ecotoxicity**

Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	LC50 Pimephales promelas 2200 mg/l 96h
	LC50 Chaetogammarus Marinus 2.6 mg/l 96h

## **Section 13 - Disposal**

**Disposal Instructions:** Dispose of in compliance with the laws and regulations pertaining to this product in your jurisdiction. Oil soaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed, metal containers to help prevent combustion. Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal.

## **Section 14 - Transport**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## **Section 15 - Regulatory**

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

1333-86-4	Carbon Black <sup>1</sup>	Carcinogen
14808-60-7	Quartz (Crystalline Silica)	Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

## Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2021-01-07

Reviewer Revision 1

Date Prepared: 1/7/2021



# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Liquid White Oil Paint      GOLDEN ITEM# CBR06207  
Bob Ross® Liquid Black Oil Paint <sup>1</sup>      GOLDEN ITEM# CBR06227  
Bob Ross® Liquid Opal Oil Paint      GOLDEN ITEM# CBR06239

<sup>1</sup> Contains Carbon Black

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607) 847-6154  
In US and Canada only: (800) 959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Flammable liquid      4      Flash point  $\geq 60^{\circ}\text{C}$  (140°F) and  $\leq 93^{\circ}\text{C}$  (200°F)

### GHS Hazards

H227      Combustible liquid

### GHS Precautions

P210      Keep away from heat/sparks/open flames/hot surfaces – No smoking  
P235      Keep cool  
P280      Wear protective gloves/protective clothing/eye protection/face protection  
P370+P378      In case of fire: Use ... for extinction  
P403+P235      Store in a well ventilated place. Keep cool  
P501      Dispose of contents/container according to Section 13

**Signal Word: Warning**

### Hazards Not Otherwise Classified (HNOC)

Spontaneous combustion may result from oil soaked materials such as rags, steel wool, paper and clothing.  
Place soaked materials in a sealed, metal container to prevent this.

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Carbon Black <sup>1</sup>	1333-86-4	5.00% - 10.00%
Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	64742-48-9	1.00% - 10.00%
Quartz (Crystalline Silica)	14808-60-7	0.10% - < 1.00%

**(1) Carbon Black - WARNING:** This product contains a chemical known to the State of California to cause cancer.

**Crystalline Silica - WARNING:** These products contains a chemical known to the State of California to cause cancer. Considered a carcinogen through inhalation overexposure. Also a known cause of silicosis, a noncancerous lung disease.

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: 62 C (144 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this will spread the fire.

**Unusual Fire and Explosion Hazards:** Vapors can travel to a source of ignition and flash back. Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Eliminate all ignition sources. Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor. Oil soaked materials may spontaneously combust.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. The mixture is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Do not smoke or use near other sources of ignition. Read label before use.

**Conditions for safe storage:** Keep away from heat, sparks and open flame. Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Carbon Black <sup>1</sup> 1333-86-4	TWA 3.5 mg/m3	TWA 3.5 mg/m3	Not Established

Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha 64742-48-9	PEL 1200 mg/m3	Not Established	Not Established
Quartz (Crystalline Silica) 14808-60-7	TWA 0.05 mg/m3 (Respirable Fraction)	TWA 0.025 mg/m3 (Respirable Fraction)	Not Established

**Engineering Controls:** Use explosion proof ventilation equipment. Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** Wear approved safety glasses or goggles. Wear solvent-resistant gloves. Be aware that liquid may penetrate the gloves, suitable gloves can be recommended by the glove supplier.

## Section 9 - Properties

Properties listed are typical and not to be used as a specification.

<p><b>Appearance:</b> Liquid</p> <p><b>Vapor Pressure:</b> Not available</p> <p><b>Vapor Density:</b> Not available</p> <p><b>Density:</b> 1.20 – 1.60</p> <p><b>Freezing point:</b> Not available</p> <p><b>Boiling range:</b> Not available</p> <p><b>Evaporation rate:</b> Not available</p> <p><b>Explosive Limits:</b> Not available</p> <p><b>Auto ignition temperature:</b> Not available</p> <p><b>Viscosity:</b> Not available</p>	<p><b>Odor:</b> Oil / Solvent</p> <p><b>Odor threshold:</b> Not available</p> <p><b>pH:</b> Not applicable</p> <p><b>Melting point:</b> Not applicable</p> <p><b>Solubility:</b> Not soluble</p> <p><b>Flash point:</b> 62°C, 144°F</p> <p><b>Flammability:</b> Not applicable</p> <p><b>Partition coefficient (n-octanol/water):</b> Not available</p> <p><b>Decomposition temperature:</b> Not available</p>
---	--

## Section 10 - Reactivity

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## Section 11 - Toxicology

### **Mixture Toxicity**

Inhalation Toxicity LC50: 105mg/L

### **Component Toxicity**

1333-86-4 Carbon Black <sup>1</sup>

Oral LD50: 5,000 mg/kg (RAT)  
64742-48-9 Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha  
Dermal LD50: 3,160 mg/kg (RABBIT)

**Possible routes of entry or exposure:**

Inhalation      Eye Contact      Ingestion

**Possible target organs of exposure to this mixture:**

Eyes      Lungs

**Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
14808-60-7	Quartz (Crystalline Silica)	0.1% - < 1.0%	Quartz (Crystalline Silica): WARNING: This product contains crystalline silica, a chemical known to the State of California to cause cancer by means of inhalation.

**Acute Toxicity:** May cause central nervous system effects.

## **Section 12 - Ecological Toxicity**

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

**Component Ecotoxicity**

Naptha (petroleum), hydrotreated heavy; low boiling point thermally cracked naptha	LC50 Pimephales promelas 2200 mg/l 96h LC50 Chaetogammarus Marinus 2.6 mg/l 96h
--	--

## **Section 13 - Disposal**

**Disposal Instructions:** Dispose of in compliance with the laws and regulations pertaining to this product in your jurisdiction. Oil soaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed, metal containers to help prevent combustion. Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal.

## **Section 14 - Transport**

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## **Section 15 - Regulatory**

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

1333-86-4	Carbon Black <sup>1</sup>	Carcinogen
14808-60-7	Quartz (Crystalline Silica)	Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2021-01-07

Reviewer Revision 1

Date Prepared: 1/7/2021

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Liquid Clear Oil Paint

GOLDEN PART# CBR06237

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607) 847-6154  
In US and Canada only: (800) 959-6543

Prepared by: Regulatory Department

Product Use: Artist's Material  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Carcinogen 2 Limited evidence of human or animal carcinogenicity

### GHS Hazards

H351 Suspected of causing cancer

### GHS Precautions

P201 Obtain special instructions before use  
P202 Do not handle until all safety precautions have been read and understood  
P281 Use personal protective equipment as required  
P308+P313 IF exposed or concerned: Get medical advice/attention  
P405 Store locked up  
P501 Dispose of contents/container according to Section 13

Signal Word: Warning



### Hazards Not Otherwise Classified (HNOC)

Spontaneous combustion may result from oil soaked materials such as rags, steel wool, paper and clothing.  
Place soaked materials in a sealed, metal container to prevent this.

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Xylene	1330-20-7	1.00% - < 5.00%
Ethylbenzene	100-41-4	0.10% - < 1.00%

Ethyl Benzene - WARNING: This product contains a chemical known to the State of California to cause cancer.

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: > 93 C (>199 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition. Risk of ignition. Rags and other materials containing this product may heat and spontaneously ignite, if exposed to air. Store wiping rags and similar materials in metal cans with tightly fitting lids.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor. Oil soaked materials may spontaneously combust.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Xylene 1330-20-7	TWA 100ppm, 435 mg/m3	STEL 150ppm	Not Established
Ethylbenzene 100-41-4	TWA 100 ppm/435 mg/m3 ST 125 ppm/545 mg/m3	TWA 20 ppm	Not Established

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when spraying.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid <b>Vapor Pressure:</b> Not available <b>Vapor Density:</b> Not available <b>Density:</b> 0.975 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> Not available	<b>Odor:</b> Oil <b>Odor threshold:</b> Not available <b>pH:</b> Not applicable <b>Melting point:</b> Not applicable <b>Solubility:</b> Not soluble <b>Flash point:</b> >93°C, >199°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
--	---

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Component Toxicity**

1330-20-7	XYLENE Oral LD50: 4,300 mg/kg (RAT) Dermal LD50: 1,700 mg/kg (RABBIT) Inhalation LC50: 5,000 ppm
100-41-4	Ethylbenzene Oral LD50: 3,500 mg/kg (RAT)

### **Possible routes of entry or exposure:**

Inhalation Skin Contact Ingestion

### **Possible target organs of exposure to this mixture:**

Kidneys Liver Lungs



## Effects of Overexposure

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
100-41-4	Ethylbenzene	0.1% - < 1.0%	Ethylbenzene: Caused cancer in laboratory animal studies. The relevance of these findings to humans is uncertain.

## Section 12 - Ecological Toxicity

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

### Component Ecotoxicity

Ethylbenzene	LC50, RAINBOW TROUT, 96h, 4.2 mg/l EC50, WATER FLEA, 1d, 2.2 mg/l EC50, GREEN ALGAE, 72h, GROWTH INHIBITION 3.6 - 4.6 mg/l
--------------	--

## Section 13 - Disposal

**Disposal Instructions:** Dispose of in compliance with the laws and regulations pertaining to this product in your jurisdiction. Oil soaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed, metal containers to help prevent combustion. Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal.

## Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

100-41-4 Ethylbenzene Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	Yes
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes

PHILIPPINES  
USA

Philippine Inventory of Chemicals and Chemical  
Active-Toxic Substances Control Act (TSCA) Inventory

Yes  
Yes

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2021-01-07

Reviewer Revision 1

Date Prepared: 1/7/2021

# Safety Data Sheet

## Section 1 - Identification

Bob Ross® Liquid Clear Oil Paint

GOLDEN PART# CBR06237

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607) 847-6154  
In US and Canada only: (800) 959-6543

Prepared by: Regulatory Department

Product Use: Artist's Material  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Carcinogen 2 Limited evidence of human or animal carcinogenicity

### GHS Hazards

H351 Suspected of causing cancer

### GHS Precautions

P201 Obtain special instructions before use  
P202 Do not handle until all safety precautions have been read and understood  
P281 Use personal protective equipment as required  
P308+P313 IF exposed or concerned: Get medical advice/attention  
P405 Store locked up  
P501 Dispose of contents/container according to Section 13

Signal Word: Warning



### Hazards Not Otherwise Classified (HNOC)

Spontaneous combustion may result from oil soaked materials such as rags, steel wool, paper and clothing.  
Place soaked materials in a sealed, metal container to prevent this.

## Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Xylene	1330-20-7	1.00% - < 5.00%
Ethylbenzene	100-41-4	0.10% - < 1.00%

Ethyl Benzene - WARNING: This product contains a chemical known to the State of California to cause cancer.

## Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

## **Section 5 - Fire Fighting**

Flash Point: > 93 C (>199 F)

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition. Risk of ignition. Rags and other materials containing this product may heat and spontaneously ignite, if exposed to air. Store wiping rags and similar materials in metal cans with tightly fitting lids.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

## **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor. Oil soaked materials may spontaneously combust.

## **Section 7 - Handling**

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

## **Section 8 - Exposure Control**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Xylene 1330-20-7	TWA 100ppm, 435 mg/m3	STEL 150ppm	Not Established
Ethylbenzene 100-41-4	TWA 100 ppm/435 mg/m3 ST 125 ppm/545 mg/m3	TWA 20 ppm	Not Established

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when spraying.

## **Section 9 - Properties**

Properties listed are typical and not to be used as a specification.

<b>Appearance:</b> Liquid <b>Vapor Pressure:</b> Not available <b>Vapor Density:</b> Not available <b>Density:</b> 0.975 <b>Freezing point:</b> Not available <b>Boiling range:</b> Not available <b>Evaporation rate:</b> Not available <b>Explosive Limits:</b> Not available  <b>Auto ignition temperature:</b> Not available <b>Viscosity:</b> Not available	<b>Odor:</b> Oil <b>Odor threshold:</b> Not available <b>pH:</b> Not applicable <b>Melting point:</b> Not applicable <b>Solubility:</b> Not soluble <b>Flash point:</b> >93°C, >199°F <b>Flammability:</b> Not applicable <b>Partition coefficient (n-octanol/water):</b> Not available <b>Decomposition temperature:</b> Not available
--	---

## **Section 10 - Reactivity**

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

## **Section 11 - Toxicology**

### **Mixture Toxicity**

#### **Component Toxicity**

1330-20-7	XYLENE Oral LD50: 4,300 mg/kg (RAT)    Dermal LD50: 1,700 mg/kg (RABBIT)    Inhalation LC50: 5,000 ppm
100-41-4	Ethylbenzene Oral LD50: 3,500 mg/kg (RAT)

### **Possible routes of entry or exposure:**

Inhalation      Skin Contact      Ingestion

### **Possible target organs of exposure to this mixture:**

Kidneys      Liver      Lungs

## Effects of Overexposure

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
100-41-4	Ethylbenzene	0.1% - < 1.0%	Ethylbenzene: Caused cancer in laboratory animal studies. The relevance of these findings to humans is uncertain.

## Section 12 - Ecological Toxicity

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

### Component Ecotoxicity

Ethylbenzene	LC50, RAINBOW TROUT, 96h, 4.2 mg/l EC50, WATER FLEA, 1d, 2.2 mg/l EC50, GREEN ALGAE, 72h, GROWTH INHIBITION 3.6 - 4.6 mg/l
--------------	--

## Section 13 - Disposal

**Disposal Instructions:** Dispose of in compliance with the laws and regulations pertaining to this product in your jurisdiction. Oil soaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed, metal containers to help prevent combustion. Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal.

## Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

## Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

100-41-4 Ethylbenzene Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	Yes
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes

PHILIPPINES  
USA

Philippine Inventory of Chemicals and Chemical  
Active-Toxic Substances Control Act (TSCA) Inventory

Yes  
Yes

## **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2021-01-07

Reviewer Revision 1

Date Prepared: 1/7/2021